

Floranid Twin Club (10-5-20)

Version: 1.8

Revision Date:
01.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Floranid Twin Club (10-5-20)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Fertilizer

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Kroegerweg 10
D-48155 Münster

Telephone : +49 (0) 251 29 79 81 – 000

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person
responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

Quality / Safety / Environment
Telephone: +49 (0) 2151 - 579 - 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Supplemental Hazard : EUH210 Safety data sheet available on request.
Statements

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Fertilizer
NPK - fertilizer contains: N,N'-(2-Methylpropyliden)-bis-urea,

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

ammonium nitrate, potassium salt, ammonium salt, phosphate, magnesium salt, calcium salt, trace element combination.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27-XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	$\geq 1 - < 10$
N,N'-(isobutylidene)diurea	6104-30-9 228-055-8 01-2119457269-28-XXXX		$\geq 10 - \leq 45$
iron sulphate	7720-78-7 231-753-5 01-2119513203-57-XXXX	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Irrit. 2; H315	≤ 5
Borates, tetra sodium salts, pentahydrate	12179-04-3 215-540-4 01-2119490790-32-XXXX	Repr. 1B; H360FD Eye Irrit. 2; H319	≤ 1
disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-)	14025-15-1 237-864-5 05-2114842509-41-0000	Acute Tox. 4; H302	$\leq 0,5$
Zinc sulphate, monohydrate	7446-19-7 231-793-3 01-2119474684-27-XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\leq 0,05$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Wash hands with water as a precaution.
- If inhaled : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
Obtain medical attention.
In case of lung irritation, first treatment with dexametason aerosol (spray).

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

- In case of skin contact : Wash off with plenty of water.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- If swallowed : Clean mouth with water and drink afterwards plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Ingestion may provoke the following symptoms:
Methaemoglobinemia
Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema).

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water
- Unsuitable extinguishing media : Foam
Dry chemical
Carbon dioxide (CO₂)
Sand

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Can decompose at above 100 °C. Thermal decomposition products:
Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammonia
Isobutyraldehyd

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Keep away from children.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

none

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Protect from contamination.
Keep away from direct sunlight.
Protect against heat.
Protect from moisture.

Advice on protection against fire and explosion : The product is not flammable. Keep away from sources of ignition - No smoking. Keep away from combustible materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Risk of explosion if heated under confinement.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : When stored loose do not mix with other fertilizers. Store well away from other substances. Keep away from direct sunlight. Protect against heat. Protect from contamination. Protect from moisture.

Dampness : Keep in a dry place.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
iron sulphate	7720-78-7	TWA	1 mg/m ³ (Iron)	GB EH40
Borates, tetra sodium salts, pen-	12179-04-3		3 mg/m ³	DE TRGS 900

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:

01.03.2021

tahydrate				
Peak-limit: excursion factor (category)	8;(II)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW	0,5 mg/m3 (Borate)	DE TRGS 900
Peak-limit: excursion factor (category)	2;(I)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
			1 mg/m3	ACGIHTLV
		TWA	1 mg/m3	GB EH40
disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON'] cuprate(2-)	14025-15-1	TWA	1 mg/m3 (Copper)	GB EH40

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	N,N''-(isobutylidene)diurea	Workers	Skin contact	systemic effects
Remarks:	Continuous exposure			
	Workers	Inhalation	systemic effects	66,12 mg/m3
Remarks:	Continuous exposure			

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

	Consumers	Skin contact	systemic effects	18,75 mg/m ³
Remarks:	Continuous exposure			
	Consumers	Inhalation	systemic effects	16,31 mg/m ³
Remarks:	Continuous exposure			
	Consumers	Ingestion	systemic effects	9,375 mg/m ³
Remarks:	Continuous exposure			
iron sulphate	Workers	Skin contact	Acute effects, systemic effects	2,8 mg/kg
Remarks:	Exposure time: 24 h			
	Workers	Inhalation	Acute effects, systemic effects	9,9 mg/m ³
	Workers	Skin contact	Chronic effects, systemic effects	2,8 mg/kg
Remarks:	Exposure time: 24 h			
	Workers	Inhalation	Chronic effects, systemic effects	9,9 mg/m ³
	Consumers	Ingestion	Acute effects, systemic effects	1,4 mg/kg
Remarks:	Exposure time: 24 h			
	Consumers	Skin contact	Acute effects, systemic effects	1,4 mg/kg
Remarks:	Exposure time: 24 h			
	Consumers	Inhalation	Acute effects, systemic effects	2,5 mg/m ³
	Consumers	Ingestion	systemic effects, Chronic effects	1,4 mg/kg
Remarks:	Exposure time: 24 h			
	Consumers	Skin contact	Chronic effects, systemic effects	1,4 mg/kg
Remarks:	Exposure time: 24 h			
	Consumers	Inhalation	Chronic effects, systemic effects	2,5 mg/m ³
Borates, tetra sodium salts, pentahydrate	Workers	Inhalation	Long-term exposure	6,7 mg/m ³
	Consumers	Inhalation	Long-term exposure	3,4 mg/m ³
	Workers	Skin contact	Long-term exposure	316,4 mg/kg bw/day

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Floranid Twin Club (10-5-20)

Version: 1.8

Revision Date:
01.03.2021

	Consumers	Skin contact	Long-term exposure	159,5 mg/kg bw/day
	Consumers	Ingestion	Long-term exposure, Short-term exposure	0,79 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l
N,N''-(isobutylidene)diurea	Fresh water	0,5 mg/l
	Marine water	0,05 mg/l
	Fresh water sediment	1,76 mg/l
	Marine sediment	0,176 mg/l
	Soil	10,7 mg/l
	Behaviour in waste water treatment plants	640 mg/l
iron sulphate	Water	
Remarks:	This product has no known ecotoxicological effects.	
	Behaviour in waste water treatment plants	2483 mg/l
	Fresh water sediment	246000 mg/kg
	Marine sediment	246000 mg/kg
	Soil	276000 mg/kg
Borates, tetra sodium salts, pentahydrate	Fresh water	2,9 mg/l
	Marine water	2,9 mg/l
	Soil	5,7 mg/kg
	Intermittent use/release	13,7 mg/l
	Sewage treatment plant	10 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : In case of dust formation:
Tightly fitting safety goggles

Hand protection : Gloves

Skin and body protection : No special protective equipment required.

Respiratory protection : respiratory protection only if aerosol or dust is formed.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.
Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granular

Colour : various

Odour : odourless

Odour Threshold : No data available

pH : ca. 6,2, Concentration: 100 g/l (20 °C)

Melting point/range : No data available

Boiling point/boiling range : Not applicable

Flash point : Not relevant

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Bulk density : ca. 860 kg/m³

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : Not applicable

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Floranid Twin Club (10-5-20)

Version: 1.8

Revision Date:
01.03.2021

Oxidizing properties : Not applicable

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Decomposes on heating.

10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalis.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.

10.5 Incompatible materials

Materials to avoid : oxidizable substances
Strong acids and strong bases

10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammonia
Isobutyraldehyd

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: No data available
Health injuries are not known or expected under normal use.

Acute dermal toxicity : Remarks: No data available
Health injuries are not known or expected under normal use.

Components:

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

N,N'-(isobutylidene)diurea:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg
Remarks: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

iron sulphate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): 657 - 4.390 mg/kg
Method: Calculation method

Acute toxicity estimate: 500 mg/kg
Method: Converted acute toxicity point estimate

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : LD50 (Rat): > 1.992 mg/kg
Method: Converted acute toxicity point estimate

Borates, tetra sodium salts, pentahydrate:

Acute oral toxicity : LD50 (Rat): 3.200 - 3.400 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,0 mg/l
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):

Acute oral toxicity : LD50 Oral (Rat): > 1.750 mg/kg

Skin corrosion/irritation

Product:

Result: non-irritant

Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

iron sulphate:

Method: OECD Test Guideline 404

Result: Skin irritation

Remarks: Irritating to skin and mucous membranes

Borates, tetra sodium salts, pentahydrate:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit

Method: OECD Test Guideline 405

Result: non-irritant

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

Components:

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

iron sulphate:

Method: OECD Test Guideline 405

Result: Eye irritation

Borates, tetra sodium salts, pentahydrate:

Species: Rabbit

Assessment: Irritant

Result: Moderate eye irritation

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

ammonium nitrate:

Result: Does not cause skin sensitisation.

N,N"-(isobutylidene)diurea:

Species: Mouse

Method: OECD Guideline 429

Result: Did not cause sensitisation on laboratory animals.

Floranid Twin Club (10-5-20)

Version: 1.8

Revision Date:
01.03.2021

iron sulphate:

Method: OECD TG 429

Result: Did not cause sensitisation on laboratory animals.

Borates, tetra sodium salts, pentahydrate:

Test Type: Buehler Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Components:

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

N,N''-(isobutylidene)diurea:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Borates, tetra sodium salts, pentahydrate:

Germ cell mutagenicity- Assessment : In vitro tests showed mutagenic effects

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Components:

ammonium nitrate:

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

N,N''-(isobutylidene)diurea:

Remarks: Animal testing did not show any carcinogenic effects.

iron sulphate:

Carcinogenicity - Assessment : Did not show carcinogenic, teratogenic or mutagenic effects in animal experiments.

Borates, tetra sodium salts, pentahydrate:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Floranid Twin Club (10-5-20)

Version: 1.8

Revision Date:
01.03.2021

Reproductive toxicity

Product:

Effects on fertility :
Remarks: No toxicity to reproduction
The product has not been tested. The information is derived from the properties of the individual components.

Components:

ammonium nitrate:

Effects on fertility : Species: Rat
Remarks: Animal testing did not show any effects on fertility.

Effects on foetal development : Species: Rat
Remarks: Did not show teratogenic effects in animal experiments.

N,N''-(isobutylidene)diurea:

Effects on fertility :
Remarks: Animal testing did not show any effects on fertility.

Effects on foetal development : Remarks: Did not show teratogenic effects in animal experiments.

Borates, tetra sodium salts, pentahydrate:

Reproductive toxicity - Assessment : In animal testing, risk of impaired fertility was shown only after administration of very high doses of this substance.
May damage fertility. May damage the unborn child.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.
Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

N,N''-(isobutylidene)diurea:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeat-

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

ed exposure.

Remarks: The product has not been tested. The information is derived from the properties of the individual components.

Components:

N,N''-(isobutylidene)diurea:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

iron sulphate:

Remarks: No known effect.

Repeated dose toxicity

Components:

ammonium nitrate:

Species: Rat

NOAEL: > 1.500 mg/kg

Application Route: Oral

Exposure time: 28 d

Species: Rat

NOAEL: = 256 mg/kg

Application Route: Oral

Exposure time: 52 w

Method: OECD Test Guideline 453

Species: Rat

NOAEL: >= 185 mg/kg

Application Route: by inhalation

Exposure time: 2 w

Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

iron sulphate:

Species: Rat

NOAEL: 284 - 324 mg/kg

Application Route: Oral

Exposure time: 90 d

Remarks: Information given is based on data obtained from similar substances.

Species: Rat

NOAEL: 100 mg/kg

Application Route: Oral

Exposure time: 49 d

Application Route: by inhalation

Remarks: This information is not available.

Application Route: Dermal

Remarks: This information is not available.

Floranid Twin Club (10-5-20)

Version: 1.8

Revision Date:
01.03.2021

Further information

Product:

Remarks: Danger of methaemoglobin formation.
The product was not tested. The statement was derived from products of similar structure and composition.

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: Directive 84/449/EEC, C.2
- Toxicity to algae : EC50 (Scenedesmus subspicatus): > 100 mg/l
Exposure time: 72 h
Method: DIN 38412

Components:

ammonium nitrate:

- Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 490 mg/l
Exposure time: 48 h
LC50 : 490 mg/l
- Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l
Exposure time: 10 d

N,N'-(isobutylidene)diurea:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): ca. 500 mg/l
Exposure time: 48 h
Method: Directive 84/449/EEC, C.2
- Toxicity to algae : EC50 (Scenedesmus subspicatus): > 500 mg/l
Exposure time: 72 h

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

Method: DIN 38412

Toxicity to bacteria : EC0 (Pseudomonas putida): ca. 640 mg/l

iron sulphate:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Borates, tetra sodium salts, pentahydrate:

Toxicity to fish : LC50 (dab): 74 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 242 mg/l
aquatic invertebrates Exposure time: 24 h

Toxicity to algae : EC10 (Scenedesmus subspicatus): 24 mg/l
Exposure time: 96 h

disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cuprate(2-):

Toxicity to fish : LC50 (Fish): > 100 mg/l

Toxicity to algae : EC50 : 30 mg/l
Exposure time: 96 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : DOC reduction
ca. 85 %
Method: OECD 301E/92/69/EWG, C.4-B
Remarks: Readily eliminated from water

Components:

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

N,N'-(isobutylidene)diurea:

Biodegradability : Remarks: The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

iron sulphate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Floranid Twin Club (10-5-20)

Version: 1.8

Revision Date:
01.03.2021

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-
octanol/water : log Pow: -3,1

N,N''-(isobutylidene)diurea:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

iron sulphate:

Bioaccumulation : Remarks: Accumulation in aquatic organisms is unlikely.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ-
mental compartments : Remarks: Moderately mobile in soils

Components:

iron sulphate:

Distribution among environ-
mental compartments : Medium:Soil
Remarks: immobile

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: Not applicable

Components:

N,N''-(isobutylidene)diurea:

Assessment : Remarks: Not applicable

iron sulphate:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

Additional ecological information : Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.
There is a high probability that the product is acute not harmful to aquatic organisms.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Check if agriculture use is possible.
Contact manufacturer.

Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany) : WGK 1 slightly water endangering

Other regulations : This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must be reported to the relevant authority.

15.2 Chemical Safety Assessment

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:

01.03.2021

A Chemical Safety Assessment is not required for this product.

SECTION 16: Other information

Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H360FD	: May damage fertility. May damage the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Floranid Twin Club (10-5-20)



Version: 1.8

Revision Date:
01.03.2021

Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN